

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	3	"710"/\$.ccls. and ((processor or microprocessor or controller or microcontroller or initiator or source) near (address or identif\$6) near4 (compar\$4 same match\$3) same (second or another))	US-PGPUB; USPAT; USOCR	OR	OFF	2007/07/05 13:46
L5	30	g06f13/14.ipc. and (command or messages or request) with (initiator or host) with (destination or target)	US-PGPUB; USPAT; USOCR	OR	OFF	2007/07/05 13:50
L6	0	L5 and (pcie or (pci near express))	US-PGPUB; USPAT; USOCR	OR	OFF	2007/07/05 13:52
L7	4329	(command or messages or request) with (initiator or host) with (destination or target) and (acknowledg\$3 or response)	US-PGPUB; USPAT; USOCR	OR	OFF	2007/07/05 13:52
L8	43	L7 and (pcie or (pci near express))	US-PGPUB; USPAT; USOCR	OR	OFF	2007/07/05 14:09
L9	2	8 and (processor or initiator or host) and (target or destination) with ("i/o" or "input/output") with (interface or hub)	US-PGPUB; USPAT; USOCR	OR	OFF	2007/07/05 14:11
L10	2	8 and (processor or initiator or host) and (target or destination) with ("i/o" or "input/output") with (interface or hub or bridge)	US-PGPUB; USPAT; USOCR	OR	OFF	2007/07/05 14:42
L11	3	8 and (processor or initiator or host) and (target or destination) with ("i/o" or "input/output") with (interface or hub or bridge)	US-PGPUB; USPAT; USOCR	OR	ON	2007/07/05 14:27
L18	43	8 and (interface or hub or bridge)	US-PGPUB; USPAT; USOCR	OR	ON	2007/07/05 14:26
L19	22	8 and ("i/o" or "input/output") with (interface or hub or bridge))	US-PGPUB; USPAT; USOCR	OR	ON	2007/07/05 14:27
L20	12	19 and ((interface or hub or bridge) with (buffer or queue or fifo))	US-PGPUB; USPAT; USOCR	OR	ON	2007/07/05 14:35
L21	5	710/5.ccls. and (command or messages or request) with (initiator or host) with (destination or target) and (pcie or (pci near express))	US-PGPUB; USPAT; USOCR	OR	OFF	2007/07/05 14:34

EAST Search History

L22	45	(command or messages or request) with (initiator or host) with (destination or target) and (pcie or (pci near express)) and ((interface or hub or bridge) with (buffer or queue or fifo))	US-PGPUB; USPAT; USOCR	OR	ON	2007/07/05 14:35
L23	248	(processor or initiator or host) and (target or destination) and ("i/o" or "input/output") near (interface or hub or bridge) and (pcie or (pci near express)) and (buffer or queue or fifo)	US-PGPUB; USPAT; USOCR	OR	OFF	2007/07/05 14:44
L24	20	(processor or initiator or host) and (target or destination) and ("i/o" or "input/output") same (interface or hub or bridge) same (pcie or (pci near express)) same (buffer or queue or fifo)	US-PGPUB; USPAT; USOCR	OR	OFF	2007/07/05 14:45
S1	156	kenneth creta.in. or aaron spink.in. or lance hacking.in. or sridhar rnuthrasanallur.in. or jasmin ajanovic.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	OFF	2007/07/05 09:22
S2	156	kenneth creta.in. or aaron spink.in. or lance hacking.in. or sridhar rnuthrasanallur.in. or jasmin ajanovic.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	OFF	2007/07/05 09:23
S3	1	S2 and write same processor same buffer same hub same flushing same protocol	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/05 09:24
S4	7	S2 and write same processor same buffer same protocol	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/05 09:34
S5	7	("20030023666" "5561780" "6101568" "6233641" "6587929" "6681311" "6748496").PN. OR ("7206865").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/07/05 10:52
S6	132	710/5.ccls. and (command or messages or request) with (initiator or host) with (destination or target)	US-PGPUB; USPAT; USOCR	OR	OFF	2007/07/05 14:33

EAST Search History

S7	106	S6 and (acknowledg\$3 or response)	US-PGPUB; USPAT; USOCR	OR	OFF	2007/07/05 10:59
S8	5	S7 and (processor or initiator or host) and (target or destination) with ("i/o" or "input/output") with (interface or hub)	US-PGPUB; USPAT; USOCR	OR	OFF	2007/07/05 14:10
S9	11	("4855905" "5313584" "5530845" "5581741").PN. OR ("6629166").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/07/05 10:58
S10	4329	(command or messages or request) with (initiator or host) with (destination or target) and (acknowledg\$3 or response)	US-PGPUB; USPAT; USOCR	OR	OFF	2007/07/05 10:59
S11	152	S10 and (processor or initiator or host) and (target or destination) with ("i/o" or "input/output") with (interface or hub)	US-PGPUB; USPAT; USOCR	OR	OFF	2007/07/05 11:04
S12	21	S10 and (processor or initiator or host) and (target or destination) with ("i/o" or "input/output") with (interface or hub) with (queue or buffer or fifo)	US-PGPUB; USPAT; USOCR	OR	OFF	2007/07/05 11:23
S13	0	S11 and (write near combine)	US-PGPUB; USPAT; USOCR	OR	OFF	2007/07/05 11:05
S14	5	S10 and (write near combine)	US-PGPUB; USPAT; USOCR	OR	OFF	2007/07/05 11:05
S15	21	("20030095557" "5897657" "5961621" "6101420" "6108752" "6167492" "6209065" "6249846" "6275905" "6370621" "6389526" "6393529" "6473849" "6490661" "6529999" "6553430" "6557048" "6631401" "6631448" "6714994" "6721813").PN. OR ("7069361").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/07/05 11:20
S16	8	711/169.ccls. and (command or messages or request) with (initiator or host) with (destination or target)	US-PGPUB; USPAT; USOCR	OR	OFF	2007/07/05 11:23
S17	12532	"21" and (determin\$3 near (latency or delay))	US-PGPUB; USPAT; USOCR	OR	OFF	2007/07/05 11:16
S18	0	S15 and (determin\$3 near (latency or delay))	US-PGPUB; USPAT; USOCR	OR	OFF	2007/07/05 11:16

EAST Search History

S19	0	S11 and (determin\$3 near (latency or delay))	US-PGPUB; USPAT; USOCR	OR	OFF	2007/07/05 11:17
S20	0	S11 and (determin\$3 near (latency or delay))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/05 11:17
S21	0	S11 and (determin\$3 near (latency or delay))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/05 11:18
S22	71	S10 and (determin\$3 near (latency or delay))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/05 11:18
S24	30	g06f13/14.ipc. and (command or messages or request) with (initiator or host) with (destination or target)	US-PGPUB; USPAT; USOCR	OR	OFF	2007/07/05 13:49
S25	0	S24 and (processor or initiator or host) and (target or destination) with ("i/o" or "input/output") with (interface or hub) with (queue or buffer or fifo)	US-PGPUB; USPAT; USOCR	OR	OFF	2007/07/05 11:23
S26	2	"6629166".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/05 11:50